

MÖTPRO Fully Synthetic Motorcycle Engine Oil SAE 10W60 SN MA2

Product Description

MÖTPRO 10W60 SN MA2 4T is a 100% synthetic, high-performance 4-stroke engine oil, formulated to deliver superior protection and maximum power output for modern, high-performance motorcycles. Engineered with advanced Ester Technology, it ensures outstanding shear stability, smooth shifting, and optimum wet clutch performance. This lubricant is ideal for racing and sports bikes, trail and off-road motorcycles, and engines with or without catalytic converters and integrated gearboxes.

Application

- Designed for high-performance sports bikes, dirt bikes, and off-road motorcycles.
- Recommended for engines from manufacturers like KTM, HUSQVARNA, and MOTO GUZZI, particularly those requiring SAE 10W60 viscosity.
- Suitable for motorcycles with catalytic converters and wet clutches.

Health and Safety

- Avoid prolonged or repeated contact with skin.
- Wash exposed areas with soap and water immediately after handling.
- Dispose of used oil responsibly at an authorized collection point.
- For detailed safety information, refer to the Material Safety Data Sheet (MSDS).

Typical Properties

Property	Method	Unit	Value
Viscosity Grade	SAE J300	-	10W60
Density @ 15°C	ASTM D4052	kg/l	0.8576
Viscosity @ 40°C	ASTM D445	cSt	167.5
Viscosity @ 100°C	ASTM D445	cSt	24.78
Viscosity Index (VI)	ASTM D2270	-	181
Pour Point	ASTM D5950	°C	-39
Flash Point	ASTM D92	°C	238
Total Base Number (TBN)	ASTM D2896	mg KOH/g	10.15

Performance Benefits

- **Maximum Engine Power:** Minimizes internal friction, improving mechanical efficiency.
- **Shear Stability:** Maintains oil performance under high stress and extreme conditions.
- **Wet Clutch Compatibility:** Complies with JASO MA2 standards for smooth and reliable clutch engagement.
- **Extended Engine Life:** Provides anti-wear, anti-oxidation, anti-corrosion, and anti-foam protection.
- **Low Volatility:** Reduces oil consumption, ensuring efficient and economical use.

Meets and Exceeds

- API SN
- SL
- JASO MA2
- JASO MA

Safety and Handling

- Store in a cool, dry place away from direct sunlight.
- Avoid mixing with other lubricants to ensure optimal performance.
- Follow proper disposal methods as per local regulations.

